

AL-KO VT

VEHICLE TECHNOLOGY

Member of **DEXKO**
GLOBAL

WHEELY & TRAIGO.
COMPACT. FLEXIBLE.
WELL THOUGHT-OUT.



COMFORT **ON TWO WHEELS.**

Whether for motorcycles, quad bikes, or bicycles: WHEELY and TRAIGO offer you the freedom to transport your equipment safely and flexibly. Their clever features, modular construction method and high-quality workmanship make them the perfect transport solution. **Discover these versatile solutions for your travel adventures.**



STRONG, LIGHT, VERSATILE – WHEELY, TRAIGO, LOADING SYSTEM

ROBUST AND MODULAR – PERFECT FOR MOTORCYCLES, SCOOTERS, AND BICYCLES

Whether for motorcycles, scooters or bicycles – the versatility of our trailers impresses in every situation. Their clever, modular design offers maximum flexibility and ensures the highest level of holiday comfort. With clever features such as weight redistribution, optional storage boxes and side walls, they can be adapted to any journey and purpose. The right loading systems also make loading and unloading easy and convenient. Hot-dip galvanised frame and aluminium anodised components guarantee durability and safe driving pleasure – **the perfect choice for every adventure.**



WHEELY – YOUR FLEXIBLE CHOICE FOR UNLIMITED FREEDOM

The WHEELY is more than just a means of transport – it makes every journey easier. With an unladen weight of just 220 kg and a payload of up to 530 kg, it combines lightness with an excellent loading capacity. The modular design can be flexibly adapted to motorcycles, scooters, or bicycles. Clever functions such as a tilting mechanism and weight transfer ensure comfort and safety – **the robust construction ensures unforgettable adventures.**



TRAIGO – LIGHT, FLEXIBLE, RELIABLE.

The TRAIGO transports bicycles or scooters safely and flexibly. With only approx. 160 kg unladen weight, aluminium platform and hot-dip galvanised frame, it combines lightness, robustness and driving pleasure – **the ideal choice for your travels.**

OUR TRAILERS COMPARED

	TRAIGO unbraked	WHEELY unbraked	WHEELY braked
Perm. gross weight	500 kg	750 kg	750 kg
Net weight without conversion kit	160 kg	220 kg	250 kg
Payload without conversion kit	340 kg	530 kg	500 kg
Platform size	1900 x 720 mm	2000 x 800 mm	2000 x 800 mm
Total – width x length	1950 x 1830 mm	2250 x 1900 mm (2500 mm)	2250 x 2100 mm (2700 mm)
Loading height	640 mm	620 mm	620 mm
Max. motorcycle / scooter weight	200 kg	450 kg	450 kg
Optional motorcycle / scooter loading aid	Yes	Yes	Yes
Optional drawbar storage box	No	Yes	Yes
LED marker lights	Optional	Yes	Yes
2 x steady legs for upright storage	Optional	Yes	Yes




LOAD MOTORCYCLES OR SCOOTERS – EASILY, QUICKLY AND SAFELY

Our loading system ensures comfortable and safe loading of motorcycles and scooters. The clever combination of front-wheel clamps, loading ramp and cable winch ensure loading is practically effortless. Whether on a trailer, in a van or a pickup truck – **for a relaxed start to your trip.**

THE WHEELY IN DETAIL

ONE TRAILER. MANY POSSIBILITIES.



Website

OVER 30
DIFFERENT
CONVERSION KITS



VERSATILITY

The WHEELY can be customised to meet your needs. Whether you ride a motorcycle, scooter or bicycle, its modular design and wide range of configuration options make it ideal for a variety of transport tasks. Optional accessories such as side walls or storage boxes further expand the range of potential applications.

Modular frame connection

The drawbar can be extended up to 300 mm. The axle can also be moved to adapt to the load.



UNLADEN WEIGHT
APPROX. 220 KG



Space-saving storage

When not in use, the WHEELY can be stored upright to save space, taking up about 2 square meters.

LIGHT & COMPACT

Its light weight and space-saving construction make the WHEELY the ideal choice for on the go. Transporting the bicycles widthways keeps the trailer particularly compact so it can be used comfortably even in tight parking spaces or at campsites.



SAFE & PRACTICAL

The WHEELY was designed for safe, comfortable handling. Well-thought-out loading options make loading and unloading easier, while reliable fastening systems ensure safe transport. Available in braked or unbraked versions and approved for 100 km/h – **for relaxed travel right from the start.**




100KM/H
APPROVAL



Tucks away perfectly

The ramp is stored on the loading area and doesn't take up any valuable vehicle space.



Everything secure

Sturdy wheel stand, practical retaining arms, and wheel arch liners keep your load stable. The WHEELY remains stable even while being loaded.

WHEELY


CONVERSION KITS AND ACCESSORIES

Article description		Lighting item no. / Price in €			
WHEELY basic trailer without conversion kits	Weight kg	Standard		LED	
750 kg unbraked	220	1629257	2356	1889640	2476
750 kg braked	250	1629753	2705	1889641	2825
				Item no.	Price in €
100 km/h approval				1629349	50



STORAGE BOXES

Storage boxes	Scope of delivery / information	Weight kg	Item no.	Price in €
Aluminium box on platform	1 x aluminium box 1800x400x400 mm	30	1889521	699
Aluminium box set on platform	2 x aluminium box 1800x400x400 mm	60	1889522	1299
Aluminium box XL on platform	1 x aluminium box 1800x600x600 mm	44	1889523	989
Aluminium box in front of retaining bracket	1 x aluminium box 1800x400x400 mm, retaining bracket mount, outrigger for mounting on cross beam	35	1889601	829
Drawbar unbraked	1 x drawbar B800/500 x H300xT390 mm / for unbraked trailers	-	1889638	399
Drawbar braked	1 x drawbar B800/500 x H300xT390 mm / for braked trailers	-	1889639	399




ACCESSORIES

Item name	Scope of delivery / information	Weight kg	Item no.	Price in €
Side walls 300 mm high	4 x wall element, 4 x wall insert element	20	1629548	384.50
Side walls 600 mm high	4 x wall element, 4 x wall insert element	38	1623464	697
Spare wheel holder	Spare wheel holder, safety cable, without spare wheel / for towing vehicle wheel, max. width 210 mm	3	1629676	128
Spare wheel holder	Spare wheel holder, safety cable, without spare wheel / for WHEELY wheel	3	1629249	89
Spare wheel	Spare wheel on steel rims / 195/50/R13	-	1629413	191.50
Motorcycle ramp	Width 280 mm, payload max. 340 kg / foldable	-	1629574	151
Scooter ramp	Width 220 mm, payload max. 340 kg / foldable	-	1629284	151
Tension belt set	4 x tension belt with ratchet	-	1629542	66
Premium tension belt set	2 x tension belt with ratchet, 2 x tension belt, 2 x straps, 1 x tension belt with scratch protection	-	1629302	128
Folding lock	Lock, Safety Ball, lock for the hitch / for unbraked trailers	1	1629547	113
Locks	Lock, Safety Ball / for braked trailers	-	1732594	102
Prosafe	PROSAFE wheel claw, transport case	-	1733706	220




SCOOTER AND MOTORCYCLE TRANSPORT

Conversion kit	Scope of delivery / information	Weight kg	Item no.	Price in €
1 scooter	Foldable ramp + transport support, set of 2 V-brackets	17	1629540	285
1 scooter incl. front wheel rocker	Foldable ramp + transport support, 1 x V-bracket, 1 x front wheel rocker	22	1887668	459
1 motorcycle	Foldable ramp + transport support, set of 2 large V-brackets	20	1629301	335
MP3 3-wheel scooter	3-piece ramp + transport support, ramp elevation, securing bar	33	1623812	899
Manual cable winch	Manual cable winch with reversal / compatible with MP3 conversion kit	5	1629347	128
Loading system 1 scooter	Front-wheel sleds, rails, ramps + transport support, cable winch	60	1886878	1229
Loading system 1 motorcycle	Front-wheel sleds, rails, ramps + transport support, cable winch	60	1629546	1229
Main bracket adapter	Adapter set L+R / offset + 80 mm in front of platform	1	1884599	45
Holding arm	1 x holding arm, clamp / suitable for motorcycles and scooters	4	1629541	+97



BICYCLE AND E-BIKE TRANSPORT

Conversion kit	Scope of delivery / information	Weight kg	Item no.	Price in €
1 x bicycle in front of retaining bracket	1 x bicycle rail + wheel arch liners, 1 x retaining arm, outrigger set	7	1884603	198
2 x bicycle in front of retaining bracket	2 x bicycle rail + wheel arch liners, 2 x retaining arm, outrigger set	10	1629348	258
2 x fat bike in front of retaining bracket	2 x fat bike rail + wheel stand, 2 x retaining arm, outrigger set	15	1889544	469
4 x bicycle on platform	4 x bicycle rail + wheel arch liners, 4 x retaining arm	14	1887825	533
Extendable bumper	Frame adapter for extendable light bracket, outrigger set L+R	10	1629258	262
1 x bicycle behind platform	1 x bicycle rail + wheel arch liners, 1 x retaining arm, frame adapter, extendable light bracket	-	1889651	399
2 x bicycle behind platform	2 x bicycle rail + wheel arch liners, 2 x retaining arm, frame adapter, extendable light bracket	-	1889652	539
Ramp for bicycle	1 x ramp for bicycle / e-bikes – L 1750 mm, transport support	3	1889634	109
Bicycle holding arm long	1 x retaining arm, clamp for retaining bracket	1	1887826	85
Bicycle holding arm short	1 x retaining arm, clamp for retaining bracket	1	1888936	79



THE TRAIGO IN DETAIL

LOW WEIGHT. HIGH FLEXIBILITY



OVER 20
DIFFERENT
CONVERSION KITS

PROPERLY EQUIPPED FOR EVERY TASK

The optional accessory kits turn the TRAIGO into a true all-rounder. The various equipment options allow for optimal adaptation to a wide range of transport tasks – from safely transporting bicycles and scooters to transporting other goods. **One system. Many applications.**

UNLADEN WEIGHT
APPROX. 160 KG



LIGHT, COMPACT AND WELL THOUGHT-OUT

Weighing just 160 kg, the TRAIGO stands out for its exceptionally easy handling. Transporting bicycles or scooters at right angles to the trailer's driving direction keeps its total length to a minimum. This means it fits easily even in tight parking spaces, garages, or campsites. **Minimum weight. Minimum space requirements. Maximum comfort.**



PERFECTLY TAILORED FOR EVERY TRANSPORT

The TRAIGO can be customised to suit your specific purpose. For example, the optional bicycle conversion kit allows for infinitely variable positioning of the bike rails on the included platform adapter, offering maximum flexibility for different types of bikes – from classic bikes to fat bikes. An optional scooter loading system with a cable winch is available for transporting scooters, enabling comfortable, safe loading onto the platform. **This is how simple transport can be.**



INDIVIDUALLY
ADJUSTABLE

TRAIGO

CONVERSION KITS AND ACCESSORIES

Article description		Lighting item no. / Price in €				
TRAIGO basic trailer without conversion kits	Weight kg	Standard		LED		
Unbraked	160	1889540	1899	1889635	2019	
				Item no.	Price in €	
100 km/h approval				1629349	50	




SCOOTER TRANSPORT

Conversion kit	Scope of delivery / information	Weight kg	Item no.	Price in €
1 scooter	Foldable ramp + transport support, set of 2 V-brackets	17	1629540	285
1 scooter incl. front wheel rocker	Foldable ramp + transport support, 1 x V-bracket, 1 x front wheel rocker	22	1887668	459
Loading system 1 scooter	Front-wheel sleds, rails, ramps + transport support, cable winch / up to 200 kg	60	1889516	1229
Holding arm	1 x holding arm L600 mm, clamp / suitable for scooter	2	1889642	79




BICYCLE/E-BIKE AND FAT BIKE TRANSPORT

Conversion kit	Scope of delivery / information	Weight kg	Item no.	Price in €
2 x bicycle on platform	2 x bicycle rail + wheel arch liners, 2 x retaining arm, platform adapter	8	1889532	329
3 x bicycle on platform	3 x bicycle rail + wheel arch liners, 3 x retaining arm, platform adapter	11	1889533	429
4 x bicycle on platform	4 x bicycle rail + wheel arch liners, 4 x retaining arm, platform adapter	14	1889534	529
2 x fat bike on platform	2 x fat bike rail + wheel stand, 2 x retaining arm, platform adapter	13	1889524	429
2 x fat bike + 2 x bicycle	2 x fat bike rail + wheel chock, 2 x bicycle rail, 4 x retaining arm, platform adapter	19	1889525	629
2 x bicycle in front of retaining bracket	2 x bicycle rail + wheel arch liners, 2 x retaining arm, outrigger set / max. payload 80 kg	10	1629743	315
2 x fat bike in front of retaining bracket	2 x fat bike rail, 2 x retaining arm, outrigger set / max. payload 80 kg	15	1889536	469
Access ramp	1 x ramp for bicycle / e-bikes – L 1750 mm, transport support	3	1883290	99
Bicycle holding arm long	1 x retaining arm, clamp for retaining bracket	1	1628940	72
Bicycle holding arm medium	1 x retaining arm, clamp for retaining bracket	1	1628939	66
Bicycle holding arm short	1 x retaining arm, clamp for retaining bracket	1	1628937	62




STORAGE BOXES

Storage boxes	Scope of delivery / information	Weight kg	Item no.	Price in €
Aluminium box on platform	1 x aluminium box 1800x400x400 mm	30	1889521	699
Aluminium box set on platform	2 x aluminium box 1800x400x400 mm	60	1889522	1299
Aluminium box XL on platform	1 x aluminium box 1800x600x600 mm	44	1889523	989
Aluminium box in front of retaining bracket	1 x aluminium box 1800x400x400 mm, retaining bracket mount, outrigger for mounting on cross beam	33	1889520	799



ACCESSORIES

Accessories	Scope of delivery / information	Weight kg	Item no.	Price in €
LED limit light set	LED limit light L&R, cable, fastening bracket	1	1888011	108
Steady leg under platform	1 x steady leg, fastening material, locking bolt	1	1629760	70
TRAIGO spare wheel holder	Spare wheel holder, safety cable, without spare wheel / For TRAIGO wheel	3	1889633	89
TRAIGO spare wheel	Spare wheel on steel rims / 145/80 R 13	-	1496564	155.50
Foldable scooter ramp	Width 220 mm, payload max. 340 kg	-	1629284	151
Basic strap set	4 x tension belt with ratchet	-	1629542	66
Premium strap set	2 x tension belt with ratchet, 2 x tension belt, 2 x straps, 1 x tension belt with scratch protection	-	1629302	128
Folding lock	Lock, Safety Ball, lock for the hitch / for unbraked trailers	1	1629547	113
AL-KO VT PROSAFE	PROSAFE wheel claw, transport case	-	1733706	220



LOADING MOTORCYCLES – EASILY, QUICKLY, SAFELY

From scooters to heavy machines, the clever sled and rocker system lets you load your motorcycle quickly, safely and with minimal effort. Ideal for motorhomes, trailers, or vans – **and always ready for the next job.**



READY TO GO QUICKLY – EASY MOTORCYCLE LOADING

MORE RIDING JOY, LESS EFFORT – WITH THE MOTORCYCLE LOADING AID

Whether it's a scooter or a heavy machine, simply drive into the front wheel rocker, secure the wheel, and let the electric or manual cable winch do the work. No manoeuvring, no tedious lashing of the front of the motorcycle on the platform or inside the vehicle (after loading, only the rear needs to be secured). Thanks to a clever sled, the motorcycle glides smoothly over the loading ramp, which can be stowed away to save space. **Ideal for trailers, vans or pickup trucks.**



SAFELY STOWED IN THE TRAILER

Perfectly tailored to your trailer – the loading aid pulls even heavy machines effortlessly on board using a cable winch. Simple, secure and convenient – **the ideal solution for your trailer.**



LOADED COMFORTABLY INTO THE VAN

The motorcycle loading aid lets you load scooters or heavy motorcycles easily into your van. Simply drive up, secure it and pull it in safely using a cable winch – **quickly, comfortably and without any extra help.**

AT A GLANCE

- I Electric cable winch with wired remote control as standard
- I Smooth-running AL-KO VT manual cable winch on trailer version
- I Curved ramp rail, consisting of 2 individual parts, can be loaded up to approx. 370 kg
- I Sled-mounted front wheel rocker
- I Loading height for the rear garage adjusted to approx. 620 mm. The motorcycle can be pulled a few centimetres into the springs before loading
- I The ramp is universally adaptable to other loading heights
- I Maximum rear tyre width 185 mm. Other tyre widths possible with optional components
- I For all variants: Fix the front wheel, load it, then lash the motorcycle rear properly.

HERE'S HOW EASY IT IS:

The sturdy rail system and precise guides keep the bike balanced as you pull it up. Your motorcycle or scooter will be safely loaded in just a few minutes – **without risk or stress.**



SIMPLY LOAD IT ONTO THE WHEELY

Loading a motorcycle onto the WHEELY is a piece of cake: drive up, secure it, and load it effortlessly using the cable winch. **No manoeuvring, no feats of strength.**

1. Push the motorcycle onto the front wheel rocker


Roll it onto the ramp with a little push.

2. The front wheel is completely on the sled

As soon as the tyre is completely on the sled, the front of the motorcycle can be securely lashed.

3. Securely lash the front wheel

The motorcycle can then be loaded using the cable winch. Just lash the rear to the platform – and you're done!



INDIVIDUAL COMPONENTS

PUT TOGETHER THE RIGHT CONFIGURATION FOR YOU


The necessary mounting material is included with all components. The system is suitable for platform and box trailers, vans and pick-ups.

Solutions for every application.

ORDERING INFORMATION

- ! Please state your vehicle data when ordering
- ! Other versions upon request
- ! Be sure to include the tyre size of your motorcycle
- ! Request data sheet

Rails	Item no.	Price in €
1 Rail 500 mm	1881462	86
2 Rail 1100 mm	1881515	133.50
3 Rail 1990 mm	1886097	180.50
4 Rail 2190 mm shipping only with forwarding agent	1886857	227.50
5 Rail 2200 mm (split) for parcel shipping	1888099	246.50
6 Rail 2500 mm shipping only with forwarding agent	1885904	240
7 Rail 2500 mm (split) for parcel shipping	1888100	257.50
8 Cover plate 600x165 mm	1881283	28
9 Rear tyre elevation for tyres 180–380 mm	1629902	59.50
Ramps		
10 Curved ramp	1885897	240
11 Ramp 850 mm	1886904	175.50
12 Ramp 1100 mm	1885900	191.50
13 Ramp 1600 mm	1881514	211
14 Transport support for ramp	1885901	99
15 Ramp support	1886101	179.50
Sled for front tyre		
16 Sled tyre width max. 180 mm	1885898	285
17 Sleds for scooter	1886855	285
Rear tyres wheel holder		
18 Rear wheel support up to max. 180 mm	1885902	189
19 Rear wheel support up to max. 250 mm	1886848	225.50
20 Rear wheel support scooter	1886856	189
Cable winches and accessories		
21 Cable winch 6 metre strap incl. holder	1885896	158
22 Cable winch 10 metre nylon rope incl. holder and 90° angle	1886775	202
23 Cable winch 10 metre nylon rope incl. ground holder	1885906	170
24 12 V e-cable winch incl. holder and wired remote control	1885905	506
25 Remote control incl. receiver	1628286	46
26 Central deflection pulley	1885895	66.50
27 Outer deflection pulley	1885907	59.50
28 Angle adapter incl. accessories	1623429	13
29 Conversion kit scooter/motorcycle or motorcycle/scooter	1886616	118
30 Pipe coupling set	1888078	23.50



* Suitable loading height in mm

